Safety Data Sheet



Trade Name: US-368S Surfactant

SECTION 1. IDENTIFICATION

Date of Issue: 3.14.2019

Product Name: US-368S Surfactant

Chemical Name: Surfactant

Other means of identification:

Preparation of polyether modified polysiloxanes

Recommended use of the chemical and restrictions on use:

Recommended use: Industrial production of polyurethane foam articles

Recommended restrictions: Uses other than as recommended above

Company Name: Urethane Sciences, LLC

Company Address: 121 Cross Keys Road, Building E

Berlin, NJ 08009

Company Telephone: Phone: (856) 282-4506

Company Contact Email: info@usci.net

Emergency Phone: ChemTrec (24 Hours): 1-800-424-9300

(Outside of USA 202-366-4488)

SECTION 2: HAZARD(S) IDENTIFICATION

Physical hazards

No physical hazards identified under paragraph (d) of §1910.1200

Health hazards

None identified under OSHA GHS §1910.1200.

Environmental hazards

Not identified under OSHA GHS §1910.1200.

GHS Signal word: None

GHS Hazard statement(s): None

GHS Hazard symbol(s): None

Precautionary statement(s):

Prevention:

Avoid contact with eyes

Do not eat, drink, or smoke when using this product

Do not swallow

Wash thoroughly after handling

Response:

If swallowed: Rinse mouth. Seek medical attention. Do not induce vomiting unless directed to do so by a physician.

If on skin: Wash thoroughly.

If inhaled: Move person to fresh air. If adverse effects occur, consult a physician.

If in eyes: Wash with large amount of water for at least several minutes. If effects occur, consult a

physician.

Disposal:

Dispose of contents/containers to an approved disposal site in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise Classified (HNOC): High risk of slipping due to leakage/spillage of the product.

SECTION 3: Composition/Information on ingredients

Mixture: Preparation of polyether modified polysiloxanes foam

Chemical name	CAS#	Concentration
		(weight %)
Diethylene Glycol Butyl Ether	112-34-5	< 3%
Non-hazardous Polyether Modified Siloxane Preparation	Trade Secret	Balance

Note: The balance of the ingredients are not classified as hazardous or are below the concentration limit to be classified as hazardous, under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

The manufacturer has claimed one or more ingredients as trade secret under the OSHA Hazard Communication Standard.

SECTION 4: FIRST AID MEASURES

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: Move person to fresh air. If effects occur, consult a physician.

Skin contact: In case of contact, wash off with plenty of water

Eye contact: Flush eyes thoroughly with water for several minutes. May also produce an oil film over the eye-ball causing a short lasting (but harmless) dimness in sight.

If longer lasting effects occur, consult a physician, preferably an ophthalmologist.

Ingestion: Thoroughly wash mouth. In the event of symptoms, seek medical attention.

Most important symptoms/effects, acute and delayed: Aside from the information presented above under First Aid measures, any additional known symptoms or effects are described in Section 11

Indication of immediate medical attention and special treatment needed: If any symptoms are observed, contact a physician and give them this SDS sheet. If concerned: Get medical advice/attention. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5: FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Foam, carbon dioxide, dry powder, or water spray

Unsuitable extinguishing media: full water jet (may spread fire)

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

During a fire, smoke may contain the original material in addition to the combustion products of varying composition which may be toxic and/or irritating. Combustion product may include but are not limited to: Carbon monoxide, carbon dioxide, silicon dioxide. Container may rupture from gas generation in a fire situation. Violent stream generation or eruption may occur upon application of direct water stream to hot liquids.

Special protective equipment and precautions for fire-fighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire-fighting clothing (includes fire- fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire-fighting operations. If contact is likely, change to full chemical resistant fire-fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Isolate area. Refer to section 7, Handling, for additional precautionary measures. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Absorb with materials such as: Dirt. Sand. Sawdust. Collect in suitable and properly labeled containers. Wash the spill site with water. See Section 13, Disposal Considerations, for additional information.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling: Keep away from sources of ignition – no smoking. Cool endangered containers by water spray. Take precautionary measures against electrostatic loading. Vapors may form an explosive mixture with air.

Conditions for safe storage, including any incompatibles: Keep tightly closed in a cool well-ventilated place

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Contains no substances with occupational exposure limit values

Exposure controls

Engineering controls: General ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection: While this material is not classified as hazardous, use of safety glasses (with side shields) is recommended.

Skin protection

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl alcohol ("PVA"). Polyvinyl chloride ("PVC" or "vinyl").

Other protection: Wear clean, body-covering clothing.

Respiratory protection: For most conditions, no respiratory protection should be needed; however, if material is heated or sprayed, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state: Liquid

Form: Medium viscosity fluid

Color: Yellowish

Odor: Mild – specific to the product

Odor threshold:

PH:

Not available

Not available

Melting point/freezing point:

Not available

Not available

Not available

boiling range:

Flash point: > 100 °C (Closed cup)

Evaporation rate: Not available Flammability (solid, gas): Not applicable

Upper/lower flammability or explosive limits

Flammability limit – lower %):

Flammability limit – upper (%):

Explosive limit – lower (%):

Not available

Not available

Not available

Not available

Vapor pressure: Negligible at room temperature

Vapor density: Not available

Relative density: 1.03

Solubility (ies):No data availablePartition coefficient (n-octanol/water):No data availableAuto-ignition temperature:No data availableDecomposition temperature:No data available

Viscosity (dynamic): 2000 cP @ 23 degrees C

% Volatile: Not volatile at or near room temperature

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not available.

Chemical stability: Stable under normal ambient conditions and anticipated

conditions of use.

Possibility of hazardous reactions: Hazardous reactions not anticipated with product alone.

Conditions to avoid: Product can oxidize at elevated temperatures. Generation of

gas during decomposition can create pressure in closed storage

vessels.

Incompatible materials: Not known.

Hazardous decomposition products: Include but are not limited to carbon dioxide, silcone dioxide, carbon monoxide, alcohols, ethers, ketones, other polymer fragments and hydrocarbons

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity

Small amounts swallowed as a result of normal handling operations are not likely to cause injury.

Typical for this family of materials.

LD50, Rat > 5000 mg/kg - Estimated.

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

The dermal LD50 has not been determined.

Acute inhalation toxicity

At room temperature, exposure to vapor is minimal due to low volatility; single exposure is not likely to be hazardous. Vapor from heated material or mist may cause respiratory irritation. For narcotic effects: No relevant data found.

The LC50 has not been determined.

Skin corrosion/irritation

Prolonged exposure not likely to cause significant skin irritation.

Serious eye damage/eye irritation

May cause slight temporary eye irritation. May also produce an oil film over the eye-ball causing a short lasting (but harmless) dimness in sight.

Sensitization

No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

No relevant data found.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

No relevant data found.

Carcinogenicity

No relevant data found.

Teratogenicity

No relevant data found.

Reproductive toxicity

No relevant data found.

US-368S

Mutagenicity

No relevant data found.

Aspiration Hazard

No aspiration toxicity classification.

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

Toxicity

Acute toxicity to fish: No data available

Persistence and degradability

Biodegradability: No data available

Bioaccumulative potential

Bioaccumulation: No data specific to this material is available. No bioconcentration is expected because

of the relatively high molecular weights.

Mobility in soil No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: Do not dump into any sewers, on the ground, or into any body of water. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted recycler or reclaimer, and incineration or destruction in an appropriate thermal device.

SECTION 14: Transport Information

US Department of Transportation Classification (49CFR)

Not regulated for transport

Maritime transport IMDG

Not regulated for transport.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

No further relevant information available.

Air transport ICAO-TI and IATA-DGR

Not regulated for transport

Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

No data available

SECTION 15: REGULATORY INFORMATION

USA:

United States Federal Regulations: This SDS complies with the OSHA, 29 CFR 1910.1200. The product is not hazardous under OSHA.

Toxic Substances Control Act (TSCA) – All components are on the U.S. EPA TSCA Inventory List.

CERCLA Hazardous Substance List, 40 CFR 302.4:

No components listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories:

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A): None listed

Section 311 hazardous chemical: None listed

SARA Section 313 (Specific toxic chemical listings): Diethylene Glycol Butyl Ether (CAS #112-34-5)

STATE REGULATIONS:

This SDS contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements, you should contact the appropriate agency in your state.

California Proposition 65 (California Safe Drinking Water and Toxic Enforcement Act of 1986): No components are listed on Prop 65.

SECTION 16: OTHER INFORMATION

Revision Date: May 12, 2020

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any legal liability for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.